



2024

CCT LAMPS

WW NW CW

3000K - 4000K - 6500K







BACKLIT














5
years
warranty

WW NW CW
CCT

PF
>0,95

Index	Name	EAN	Pon [W]	Φ360° [lm]	Φuse [lm]	η [lm/W]	CCT [K]	L x W x H [mm]		 [kg]
ORO33116	ORO BACKLIT LED 36W 60X60 CCT	5901752716384	36	4140	-	115	3000-4000-6500 	595 x 595 x 27		1,3
ORO33117	ORO BACKLIT LED 36W 30X120 CCT	5901752716445	36	4140	-	115	3000-4000-6500 	1195 x 295 x 32		1,4

	IN 220-240V 50Hz	 110°	 50 000 h	CRI > 80				ALU PS		 45 °C -20	
	 0,5m	 A E									

+



ORO07019



ORO07020



ORO07003



ORO07013




ORO33161

Index	Name	EAN	
ORO07003	LINKA-PANEL60X60	5901752714281	<i>Linka montażowa / Mounting rope / Montážní lano / Montážne lano</i>
ORO07013	ORO-CLIPS-PANEL60X60-U	5902533191369	<i>Zaczep podtynkowy / Concealed hook / Skrytý háček / Skrytý háčik</i>
ORO07019	RAMA-PANEL60X60-UC	5902533192922	<i>Ramka natynkowa do panelu 60x60cm / Surface-mounted frame for a 60x60cm panel / Přisazený rám pro panel 60x60cm / Prísadený rám pre panel 60x60cm</i>
ORO07020	RAMA-PANEL30X120-UC	5902533192939	<i>Ramka natynkowa do panelu 30x120cm / Surface-mounted frame for a 30x120cm panel / Přisazený rám pro panel 30x120cm / Prísadený rám pre panel 30x120cm</i>
ORO33161	RAMA-PANEL60X60-UC-H	5905972140073	<i>Ramka natynkowa do panelu 60x60cm - wysoka / Surface-mounted frame for a 60x60cm panel - high / Přisazený rám pro panel 60x60cm - vysoký / Prísadený rám pre panel 60x60cm - vysoká</i>

DALAS

5
years
warranty

WW NW CW
CCT



Index	Name	EAN	Pon [W]	Φ360° [lm]	η [lm/W]	CCT [K]	L x W x H [mm]		[kg]
ORO33151	ORO DALAS LED 30W CCT-W	5902533199280	30	3300	110	3000-4000-6500 	1200 x 75 x 50		1,40
ORO33152	ORO DALAS LED 30W CCT-B	5902533199297	30	3300	110	3000-4000-6500 	1200 x 75 x 50		1,40
ORO33153	ORO DALAS LED 30W CCT-S	5902533199303	30	3300	110	3000-4000-6500 	1200 x 75 x 50		1,40


+



Index	Name	EAN	
ORO33160	ORO DALAS LINK I	5905972140066	Łącznik prosty / Straight connector / Přímý konektor / Priamy konektor

IN 220-240V 50Hz	115°	50 000 h	CRI > 80			IP40	IK08	PF > 0,95		ALU PC	
40 °C -20		0,5m									

TOSA



Index	Name	EAN	Pon [W]	Φ360° [lm]	Φuse [lm]	η [lm/W]	EEI	CCT [K]	L x W x H [mm]	Ø [mm]	Icon	kg
ORO21030	ORO-TOSA-6W-CCT	5902533195633	6	480	400 × 120°	80	G	3000-4000-6500	Ø 105 x 38	Ø 85	□	0,09
ORO21031	ORO-TOSA-16W-CCT	5902533195640	16	1600	1320 × 120°	100	F	3000-4000-6500	Ø 165 x 47	Ø 145	□	0,17
ORO21032	ORO-TOSA-20W-CCT	5902533195657	20	2000	1680 × 120°	100	F	3000-4000-6500	Ø 190 x 49	Ø 170	□	0,22
ORO21033	ORO-TOSA-24W-CCT	5902533195664	24	2400	2120 × 120°	100	F	3000-4000-6500	Ø 215 x 49	Ø 195	□	0,27

IN
220-240V
50Hz

110°

15 000 h

PA
—
PC



40 °C
-20

0,5m


A
T
G **F**

A
T
G **G**

ZUMA



Index	Name	EAN	Pon [W]	Φ360° [lm]	Φuse [lm]	η [lm/W]	CCT [K]	L x W x H [mm]	Ø [mm]	Ø [mm]	Icon	Weight [kg]
ORO33109	ORO ZUMA LED R 5W CCT-B	5901752714403	5	475	375 x 90°	95	3000-4000-6500	Ø 85 x 38	Ø 70	Ø 70	Black	0,57
ORO33108	ORO ZUMA LED R 5W CCT-W	5901752714106	5	475	375 x 90°	95	3000-4000-6500	Ø 85 x 38	Ø 70	Ø 70	White	0,57
ORO33113	ORO ZUMA LED R 9W CCT-B	5901752715134	9	855	675 x 90°	95	3000-4000-6500	Ø 110 x 42	Ø 70	Ø 70	Black	0,60
ORO33112	ORO ZUMA LED R 9W CCT-W	5901752715103	9	855	675 x 90°	95	3000-4000-6500	Ø 110 x 42	Ø 70	Ø 70	White	0,60
ORO33111	ORO ZUMA LED S 5W CCT-B	5901752714427	5	475	375 x 90°	95	3000-4000-6500	85 x 85 x 38	Ø 95	Ø 95	Black	0,87
ORO33110	ORO ZUMA LED S 5W CCT-W	5901752714410	5	475	375 x 90°	95	3000-4000-6500	85 x 85 x 38	Ø 95	Ø 95	White	0,87
ORO33115	ORO ZUMA LED S 9W CCT-B	5901752715172	9	855	675 x 90°	95	3000-4000-6500	110 x 110 x 42	Ø 95	Ø 95	Black	0,89
ORO33114	ORO ZUMA LED S 9W CCT-W	5901752715165	9	855	675 x 90°	95	3000-4000-6500	110 x 110 x 42	Ø 95	Ø 95	White	0,89






NEPTUN















3
years
warranty














WW NW CW
CCT


IK08


IP64



Index	Name	EAN	P _{on} [W]	Φ360° [lm]	EEI	η [lm/W]	CCT [K]	L x W x H [mm]		 [kg]
ORO33157	ORO NEPTUN LED 12W CCT	5905972140035	12	1560	E	130	3000-4000-6500 	∅ 220 x 53		0,49
ORO33184	ORO NEPTUN LED 12W CCT MIC	5905972140301	12	1560	E	130	3000-4000-6500 	∅ 220 x 53		0,49
ORO33158	ORO NEPTUN LED 18W CCT	5905972140042	18	2340	E	130	3000-4000-6500 	∅ 280 x 53		0,8
ORO33185	ORO NEPTUN LED 18W CCT MIC	5905972140318	18	2340	E	130	3000-4000-6500 	∅ 280 x 53		0,8
ORO33159	ORO NEPTUN LED 24W CCT	5905972140059	24	3120	E	130	3000-4000-6500 	∅ 330 x 53		1,04
ORO33186	ORO NEPTUN LED 24W CCT MIC	5905972140325	24	3120	E	130	3000-4000-6500 	∅ 330 x 53		1,04









IN 220-240V 50Hz	 110°	 30 000 h				ABS PC		 40 °C -20		 0,5m
AIG E	 180x360°	 h 2-2,5 m ∅ 4-6 m	 <25+/-5lux	 30 sec +/- 5 sec						

















MARS

WW NW CW
CCT




**CRI >
90**











Index	Name	EAN	Pon [W]	Φmod [lm]	Φ360° [lm]	η [lm/W]	EEl	CCT [K]	L x W x H [mm]		 [kg]
ORO33138	ORO MARS LED 12W CCT	5902533193370	12	1440	900	75	E	3000-4000-6500 	∅ 290 x 70		0,40
ORO33139	ORO MARS LED 18W CCT	5902533193387	18	2160	1350	75	E	3000-4000-6500 	∅ 330 x 70		0,41
ORO33140	ORO MARS LED 24W CCT	5902533193394	24	2880	1800	75	E	3000-4000-6500 	∅ 380 x 70		0,52











IN 220-240V 50Hz	 120°	 25 000 h				STEEL PC			40 °C -25 		 0,5m
 E	 F	 180x360°	 h 2-2,5 m ∅ 4-6 m	 <25+/-5lux	 5 sec -5 min						

SFERIS

5 years warranty		 IP66	 IK08			
UGR <19	<table border="1"><tr><td>WW</td><td>NW</td><td>CW</td></tr></table> CCT	WW	NW	CW	170 lm/W	
WW	NW	CW				



Index	Name	EAN	Pon [W]	Φ_{mod} [lm]	Φ_{360° [lm]	η [lm/W]	CCT [K]	L x W x H [mm]		 [kg]
ORO33162	ORO SFERIS LED 20W CCT S-DIMM	5905972140080	20 / 18 15 / 13	-	3400 / 2870 2570 / 2230	170	3000-4000-6500 	645 x 96 x 82		0,92
ORO33163	ORO SFERIS LED 38W CCT S-DIMM	5905972140097	38 / 32 26 / 20	-	6460 / 5290 4500 / 3400	170	3000-4000-6500 	1245 x 96 x 82		1,57
ORO33164	ORO SFERIS LED 54W CCT S-DIMM	5905972140103	54 / 46 38 / 32	-	9180 / 7950 6770 / 5480	170	3000-4000-6500 	1545 x 96 x 82		1,92

IN 220-240V 50Hz	 120°	 50 000 h			PC PC			50 °C -25 		 0,5m	AIG C 
-------------------------------	--	--	---	---	-----------------	---	---	---	---	---	--



ORO18007









ORO18006


Index	Name	EAN	
ORO18006	ORO-LINK-SFERIS	5902533190188	<i>Linki montażowe / Installation lines / Instalační linky / Inštaláčné linky</i>
ORO18007	ORO-SENSO-SFERIS	5902533190195	<i>Czujnik ruchu / Motion sensor / Pohybový senzor / Pohybový senzor</i>




SATURN







Index	Name	EAN	Pon [W]	Φmod [lm]	Φ360° [lm]	CCT [K]	L x W x H [mm]		 [kg]
ORO26011	ORO-SATURN-60W-DIM	5902533193950	60	6400	3900	3000-4000-6500 	∅ 570 x 80		1,75





PRATO







Index	Name	EAN	Pon [W]	Φmod [lm]	Φ360° [lm]	CCT [K]	L x W x H [mm]		 [kg]
ORO26022	ORO-PRATO-60W-DIM	5902533195473	60	6400	3900	3000-4000-6500 	∅ 501 x 89		2,18





VENUS



Index	Name	EAN	Pon [W]	Φmod [lm]	Φ360° [lm]	CCT [K]	L x W x H [mm]		
ORO26012	ORO-VENUS-60W-DIM	5902533193967	60	6400	3900	3000-4000-6500 	ø 500 x 106		1,53





PETALO



Index	Name	EAN	Pon [W]	Φmod [lm]	Φ360° [lm]	CCT [K]	L x W x H [mm]		[kg]
ORO26026	ORO-PETALO-80W-DIM	5902533196623	80	9600	7100	3000-4000-6500 	∅ 750 x 110		3,26


IN 220-240V 50Hz	120°	25 000 h				IRON PMMA			40 °C -20		0,5m

EPSILON



ORO33060




Index	Name	EAN	Pon [W]	Φmod [lm]	Φ360° [lm]	CCT [K]	L x W x H [mm]		[kg]
ORO33061	ORO EPSILON LED B	5901752710696	14	1850	900	2700-4000-6500 	245 x 48 x 800		0,69
ORO33060	ORO EPSILON LED W	5901752710689	14	1850	900	2700-4000-6500 	245 x 48 x 800		0,69






ORO33061

PICA



ORO33057



Index	Name	EAN	P _{on} [W]	Φ _{mod} [lm]	Φ _{360°} [lm]	CCT [K]	L x W x H [mm]		 [kg]
ORO33064	ORO PICA LED B/G	5901752710726	9	520	280	3000-4000-6000 	260 x 150 x 450		0,65
ORO33057	ORO PICA LED W/G	5901752710658	9	520	280	3000-4000-6000 	260 x 150 x 450		0,65












ORO33064

ADRI



ORO33050

Index	Name	EAN	Pon [W]	Φ_{mod} [lm]	Φ_{360° [lm]	CCT [K]	L x W x H [mm]		 [kg]
ORO33051	ORO ADRI LED B	5901752710597	6,5	470	310	3000-4000-6500 	290 x 120 x 340		0,66
ORO33050	ORO ADRI LED W	5901752710580	6,5	470	310	3000-4000-6500 	290 x 120 x 340		0,66







OR033051


OR033050

ANTILA



ORO33059

Index	Name	EAN	Pon [W]	Φ360° [lm]	Φuse [lm]	CCT [K]	L x W x H [mm]		[kg]
ORO33059	ORO ANTILA LED B	5901752710672	8	570	520 x 120°	2700-4000-6500 	340 x 150 x 450		0,64
ORO33058	ORO ANTILA LED W	5901752710665	8	570	520 x 120°	2700-4000-6500 	340 x 150 x 450		0,64





ORO33058

LED manufacturer
since 2006

LED-POL Spółka z o.o. Sp.k.
owner of ORO brand

PL LED-POL Spółka z o.o. Sp.k.
Registered office: 43-300 Bielsko-Biała, 40 Kustronia Street
Address for correspondence: 43-391 Mazańcowice, Mazańcowice 614

SK LED-POL s.r.o. Nitra, Jakuba Haška 3, PSČ 950 47

CZ LED-POL CZ s.r.o. Český Těšín, Karvinská 571/9, PSČ 737 01

www.led-pol.com



ONLINE CATALOG